

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	142	@ad<"20030328" and (map\$4 or relat\$3 or associat\$3) with ((first or local) and (second or third or global)) near3 (ID or identifier) with (identif\$4 or indicat\$3) near3 (transaction or process\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 13:51
L2	0	@ad<"20030328" and (map\$4 or relat\$3 or associat\$3) with ((first or local) and (second or third or global)) near3 (ID or identifier) with (identif\$4 or indicat\$3) near3 (transaction or process\$3) and (hold\$3 or keep\$4) near3 record same (predetermin\$3 or predefin\$3) near3 (period or time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 13:52
L3	9	@ad<"20030328" and (map\$4 or relat\$3 or associat\$3) with ((first or local) and (second or third or global)) near3 (ID or identifier) with (identif\$4 or indicat\$3) near3 (transaction or process\$3) and (hold\$3 or keep\$4 or stor\$3) near3 record same (period or time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 14:00
L4	16	@ad<"20030328" and (hold\$3 or keep\$4 or stor\$3) near3 (transaction or process\$3) adj record same (defined or predefined or predetermined or preset\$4) near3 (period or time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 14:04
L5	0	@ad<"20030328" and (hold\$3 or keep\$4 or stor\$3) near3 (transaction or process\$3) adj record same (defined or predefined or predetermined or preset\$4) near3 (period or time) same failure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 14:04
L6	0	@ad<"20030328" and (hold\$3 or keep\$4 or stor\$3) with (transaction or process\$3) adj record same (defined or predefined or predetermined or preset\$4) near3 (period or time) same (abnormal\$4 or failure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 14:05
L7	1	@ad<"20030328" and (hold\$3 or keep\$4 or stor\$3) with (transaction or process\$3) adj record same (defined or predefined or predetermined or preset\$4) near3 (period or time) and (abnormal\$4 or failure) with (exist\$3 or occur\$4 or happen\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 14:06

EAST Search History

L8	11	@ad<"20030328" and (hold\$3 or keep\$4 or stor\$3) with (transaction or process\$3) adj record same (defined or predefined or predetermined or preset\$4) near3 (period or time) and (abnormal\$4 or failure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 14:11
L9	342	@ad<"20030328" and (hold\$3 or keep\$4 or stor\$3) near3 record same (defined or predefined or predetermined or preset\$4) near3 (period or time) and (abnormal\$4 or failure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 14:11
L10	16	@ad<"20030328" and (hold\$3 or keep\$4 or stor\$3 or sav\$3) with (transaction or process\$3 or ID or identifier or database) adj record same (defined or predefined or predetermined or preset\$4) near3 (period or time) and (abnormal\$4 or failure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 14:32
L11	38	@ad<"20030328" and (hold\$3 or keep\$4 or stor\$3 or sav\$3) with (transaction or process\$3 or ID or identifier or database) adj record with (defined or predefined or predetermined or preset\$4) near3 (period or time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 14:37
L12	11	@ad<"20030328" and (hold\$3 or keep\$4 or stor\$3 or sav\$3) with (transaction or process\$3 or ID or identifier or database) adj record with (defined or predefined or predetermined or preset\$4) near3 (period or time) and (map\$5 or associat\$3 or relat\$3) with (transaction or process\$3) adj (record or ID or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 14:38
S1	1888	@ad<"20030328" and (map\$4 or relat\$3 or associat\$3) with (first or second or third or local or global) near3 (ID or identifier or key) with (transaction or process\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 16:11
S2	707	@ad<"20030328" and (map\$4 or relat\$3 or associat\$3) with ((first or local) and (second or third or global)) near3 (ID or identifier or key) with (transaction or process\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 16:13

EAST Search History

S3	150	@ad<"20030328" and (map\$4 or relat\$3 or associat\$3) with ((first or local) and (second or third or global)) near3 (ID or identifier or key) with (identif\$4 or indicat\$3) near3 (transaction or process\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 13:50
----	-----	--	---	----	----	------------------